



NSW SES 60 YEARS LOGO SPECIFICATION SHEET



Principal Logo

Preferred logo usage. To be used as a first choice where possible.



	PMS 1595	C 0 M 60 Y 100 K 0	R 244 G 135 B 3
	PMS 288	C 100 M 65 Y 0 K 30	R 30 G 61 B 120



'60 YEARS' GRADIENT

	PMS 143	C 0 M 31 Y 100 K 0	R 252 G 183 B 0
	PMS 152	C 0 M 70 Y 100 K 0	R 236 G 102 B 7



Reversed Logo

Always to appear on a blue background.



	PMS 1595	C 0 M 60 Y 100 K 0	R 244 G 135 B 3
	C 0 M 0 Y 0 K 0	R 255 G 255 B 255	

'60 YEARS' GRADIENT

	PMS 143	C 0 M 31 Y 100 K 0	R 252 G 183 B 0
	PMS 152	C 0 M 70 Y 100 K 0	R 236 G 102 B 7

NSW SES 60 YEARS LOGO SPECIFICATION SHEET

Mono Logo



PMS PROCESS BLACK C

C O M O Y O K 100

R O G O B O

Mono Reversed Logo



C O M O Y O K O

R 255 G 255 B 255

NSW SES 60 YEARS LOGO SPECIFICATION SHEET

Greyscale Logo



C O M O Y O K 100



C O M O Y O K 52



C O M O Y O K 46



C O M O Y O K 29

Greyscale Reversed Logo



C O M O Y O K 0



C O M O Y O K 52



C O M O Y O K 46



C O M O Y O K 29

NSW SES 60 YEARS LOGO SPECIFICATION SHEET

The NSW SES 60 Years logo should have a minimum of 1 chequer of clear space surrounding the logo in all usage.



NSW SES 60 YEARS LOGO SPECIFICATION SHEET

How NOT to use the NSW SES 60 Years logo



Vivid coloured background



Stretched or condensed



On pattern or photo



Cropped



Altered or adjusted



Change of colour



Boxed closely